



## ISO Standards Handbook:

# Paints and varnishes

Volume 1: General test methods - Part 1

2002, Ed. 3, 672 p., ISBN 92-67-10354-7

## Contents

<b>ISO 527-1:1993</b>	Plastics — Determination of tensile properties — Part 1: General principles
<b>ISO 527-1:1993 / Cor. 1:1994</b>	Technical Corrigendum 1:1994 to ISO 527-1:1993
<b>ISO 527-3:1995</b>	Plastics — Determination of tensile properties — Part 3: Test conditions for films and sheets
<b>ISO 527-3:1995 / Cor. 1:1998</b>	Technical Corrigendum 1:1998 to ISO 527-3:1995
<b>ISO 527-3:1995 / Cor. 2:2001</b>	Technical Corrigendum 2:2001 to ISO 527-3:1995
<b>ISO 1513:1992</b>	Paints and varnishes — Examination and preparation of samples for testing
<b>ISO 1513:1992 / Cor. 1:1994</b>	Technical Corrigendum 1:1994 to ISO 1513:1992
<b>ISO 1514:1993</b>	Paints and varnishes — Standard panels for testing
<b>ISO 1516:1981</b>	Paints, varnishes, petroleum and related products — Flash/no flash test — Closed cup equilibrium method
<b>ISO 1517:1973</b>	Paints and varnishes — Surface-drying test — Ballotini method
<b>ISO 1518:1992</b>	Paints and varnishes — Scratch test
<b>ISO 1519:1973</b>	Paints and varnishes — Bend test (cylindrical mandrel)
<b>ISO 1520:1999</b>	Paints and varnishes — Cupping test
<b>ISO 1522:1998</b>	Paints and varnishes — Pendulum damping test
<b>ISO 1522:1998 / Cor. 1:1998</b>	Technical Corrigendum 1:1998 to ISO 1522:1998
<b>ISO 1523:1983</b>	Paints, varnishes, petroleum and related products — Determination of flashpoint — Closed cup equilibrium method
<b>ISO 1524:2000</b>	Paints, varnishes and printing inks — Determination of fineness of grind
<b>ISO 2409:1992</b>	Paints and varnishes — Cross-cut test
<b>ISO 2431:1993</b>	Paints and varnishes — Determination of flow time by use of flow cups
<b>ISO 2431:1993 / Cor. 1:1994</b>	Technical Corrigendum 1:1994 to ISO 2431:1993

<b>ISO 2431:1993 / Cor. 2:1999</b>	Technical Corrigendum 2:1999 to ISO 2431:1993
<b>ISO 2808:1997</b>	Paints and varnishes — Determination of film thickness
<b>ISO 2810:1974</b>	Paints and varnishes — Notes for guidance on the conduct of natural weathering tests
<b>ISO 2811-1:1997</b>	Paints and varnishes — Determination of density — Part 1: Pycnometer method
<b>ISO 2811-2:1997</b>	Paints and varnishes — Determination of density — Part 2: Immersed body (plummet) method
<b>ISO 2811-3:1997</b>	Paints and varnishes — Determination of density — Part 3: Oscillation method
<b>ISO 2811-4:1997</b>	Paints and varnishes — Determination of density — Part 4: Pressure cup method
<b>ISO 2812-1:1993</b>	Paints and varnishes — Determination of resistance to liquids — Part 1: General methods
<b>ISO 2812-2:1993</b>	Paints and varnishes — Determination of resistance to liquids — Part 2: Water immersion method
<b>ISO 2813:1994</b>	Paints and varnishes — Determination of specular gloss of non-metallic paint films at 20 degrees, 60 degrees and 85 degrees
<b>ISO 2813:1994 / Cor. 1:1997</b>	Technical Corrigendum 1:1997 to ISO 2813:1994
<b>ISO 2814:1973</b>	Paints and varnishes — Comparison of contrast ratio (hiding power) of paints of the same type and colour
<b>ISO 2815:1973</b>	Paints and varnishes — Buchholz indentation test
<b>ISO 2884-1:1999</b>	Paints and varnishes — Determination of viscosity using rotary viscometers — Part 1: Cone-and-plate viscometer operated at a high rate of shear
<b>ISO 3231:1993</b>	Paints and varnishes — Determination of resistance to humid atmospheres containing sulfur dioxide
<b>ISO 3233:1998</b>	Paints and varnishes — Determination of percentage volume of non-volatile matter by measuring the density of a dried coating
<b>ISO 3233:1998 / Cor. 1:1999</b>	Technical Corrigendum 1:1999 to ISO 3233:1998
<b>ISO 3248:1998</b>	Paints and varnishes — Determination of the effect of heat
<b>ISO 3251:1993</b>	Paints and varnishes — Determination of non-volatile matter of paints, varnishes and binders for paints and varnishes
<b>ISO 3270:1984</b>	Paints and varnishes and their raw materials — Temperatures and humidities for conditioning and testing
<b>ISO 3668:1998</b>	Paints and varnishes — Visual comparison of the colour of paints
<b>ISO 3678:1976</b>	Paints and varnishes — Print-free test

- ISO 3679:1983** Paints, varnishes, petroleum and related products — Determination of flashpoint — Rapid equilibrium method
- ISO 3680:1983** Paints, varnishes, petroleum and related products — Flash/no flash test — Rapid equilibrium method
- ISO 3856-1:1984** Paints and varnishes — Determination of "soluble" metal content — Part 1: Determination of lead content — Flame atomic absorption spectrometric method and dithizone spectrophotometric method
- ISO 3856-2:1984** Paints and varnishes — Determination of "soluble" metal content — Part 2: Determination of antimony content — Flame atomic absorption spectrometric method and Rhodamine B spectrophotometric method
- ISO 3856-3:1984** Paints and varnishes — Determination of "soluble" metal content — Part 3: Determination of barium content — Flame atomic emission spectrometric method
- ISO 3856-4:1984** Paints and varnishes — Determination of "soluble" metal content — Part 4: Determination of cadmium content — Flame atomic absorption spectrometric method and polarographic method
- ISO 3856-5:1984** Paints and varnishes — Determination of "soluble" metal content — Part 5: Determination of hexavalent chromium content of the pigment portion of the liquid paint or the paint in powder form — Diphenylcarbazine spectrophotometric method
- ISO 3856-6:1984** Paints and varnishes — Determination of "soluble" metal content — Part 6: Determination of total chromium content of the liquid portion of the paint — Flame atomic absorption spectrometric method
- ISO 3856-7:1984** Paints and varnishes — Determination of "soluble" metal content — Part 7: Determination of mercury content of the pigment portion of the paint and of the liquid portion of water-dilutable paints — Flameless atomic absorption spectrometric method
- ISO 4617:2000** Paints and varnishes — List of equivalent terms
- ISO 4618-1:1998** Paints and varnishes — Terms and definitions for coating materials — Part 1: General terms
- ISO 4618-2:1999** Paints and varnishes — Terms and definitions for coating materials — Part 2: Special terms relating to paint characteristics and properties
- ISO 4618-3:1999** Paints and varnishes — Terms and definitions for coating materials — Part 3: Surface preparation and methods of application
- ISO 4622:1992** Paints and varnishes — Pressure test for stackability
- ISO 4623-1:2000** Paints and varnishes — Determination of resistance to filiform corrosion — Part 1: Steel substrates
- ISO 4624:1978** Paints and varnishes — Pull-off test for adhesion
- ISO 4628-1:1982** Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 1: General principles and rating schemes
- ISO 4628-2:1982** Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 2: Designation of degree of blistering

- ISO 4628-3:1982** Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 3: Designation of degree of rusting
- ISO 4628-4:1982** Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 4: Designation of degree of cracking
- ISO 4628-5:1982** Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 5: Designation of degree of flaking
- ISO 4628-6:1990** Paints and varnishes — Evaluation of degradation of paint coatings — Designation of intensity, quantity and size of common types of defect — Part 6: Rating of degree of chalking by tape method
- ISO 6270-1:1998** Paints and varnishes — Determination of resistance to humidity — Part 1: Continuous condensation
- ISO 6272:1993** Paints and varnishes — Falling-weight test

**Subject index**

**Concordance list of ISO and ASTM standards**