

CONTENTS

1. Terminology

<u>ISO 4046-1:2002</u>	Paper, board, pulps and related terms -- Vocabulary -- Part 1: Alphabetical index
<u>ISO 4046-2:2002</u>	Paper, board, pulps and related terms -- Vocabulary -- Part 2: Pulping terminology
<u>ISO 4046-3:2002</u>	Paper, board, pulps and related terms -- Vocabulary -- Part 3: Paper-making terminology
<u>ISO 4046-4:2002</u>	Paper, board, pulps and related terms -- Vocabulary -- Part 4: Paper and board grades and converted products
<u>ISO 4046-5:2002</u>	Paper, board, pulps and related terms -- Vocabulary -- Part 5: Properties of pulp, paper and board
<u>ISO 4094:2005</u>	Paper, board and pulps -- International calibration of testing apparatus -- Nomination and acceptance of standardizing and authorized laboratories

2. Sampling, conditioning and precision

<u>ISO 186:2002</u>	Paper and board -- Sampling to determine average quality
<u>ISO 187:1990</u>	Paper, board and pulps -- Standard atmosphere for conditioning and testing and procedure for monitoring the atmosphere and conditioning of samples
<u>ISO 4119:1995</u>	Pulps -- Determination of stock concentration
<u>ISO 5630-1:1991</u>	Paper and board -- Accelerated ageing -- Part 1: Dry heat treatment at 105 degrees C
<u>ISO 5630-3:1996</u>	Paper and board -- Accelerated ageing -- Part 3: Moist heat treatment at 80 degrees C and 65 % relative humidity
<u>ISO 5630-4:1986</u>	Paper and board -- Accelerated ageing -- Part 4: Dry heat treatment at 120 or 150 degrees C
<u>ISO 5630-5:2008</u>	Paper and board -- Accelerated ageing -- Part 5: Exposure to elevated temperature at 100 degrees C
<u>ISO 5630-6:2009</u>	Paper and board -- Accelerated ageing -- Part 6: Exposure to atmospheric pollution (nitrogen dioxide)
<u>ISO 6599-1:1983</u>	Packaging -- Sacks -- Conditioning for testing -- Part 1: Paper sacks
<u>ISO 7213:1981</u>	Pulps -- Sampling for testing
<u>ISO/TR 24498:2006</u>	Paper, board and pulps -- Estimation of uncertainty for test methods

3. Fibre Analysis

<u>ISO 9184-1:1990</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 1: General method
<u>ISO 9184-2:1990</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 2: Staining guide
<u>ISO 9184-3:1990</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 3: Herzberg staining test
<u>ISO 9184-4:1990</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 4: Graff "C" staining test
<u>ISO 9184-5:1990</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 5: Lofton-Merritt staining test (modification of Wisbar)
<u>ISO 9184-6:1994</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 6: Determination of fibre coarseness

<u>ISO 9184-7:1994</u>	Paper, board and pulps -- Fibre furnish analysis -- Part 7: Determination of weight factor
<u>ISO 16065-1:2001</u>	Pulps -- Determination of fibre length by automated optical analysis -- Part 1: Polarized light method
<u>ISO 16065-2:2007</u>	Pulps -- Determination of fibre length by automated optical analysis -- Part 2: Unpolarized light method
<u>ISO 23713:2005</u>	Pulps -- Determination of fibre coarseness by automated optical analysis -- Polarized light method
4. Chemical Tests	
<u>ISO 302:2004</u>	Pulps -- Determination of Kappa number
<u>ISO 692:1982</u>	Pulps -- Determination of alkali solubility
<u>ISO 699:1982</u>	Pulps -- Determination of alkali resistance
<u>ISO 776:1982</u>	Pulps -- Determination of acid-insoluble ash
<u>ISO 777:2005</u>	Paper, board and pulp -- Determination of calcium
<u>ISO 778:2005</u>	Paper, board and pulp -- Determination of copper
<u>ISO 779:2005</u>	Paper, board and pulp -- Determination of iron
<u>ISO 1762:2001</u>	Paper, board and pulps -- Determination of residue (ash) on ignition at 525 degrees C
<u>ISO 1830:2005</u>	Paper, board and pulps -- Determination of acid-soluble manganese
<u>ISO 2144:1997</u>	Paper, board and pulps -- Determination of residue (ash) on ignition at 900 degrees C
<u>ISO 3260:1982</u>	Pulps -- Determination of chlorine consumption (Degree of delignification)
<u>ISO 5351:2010</u>	Pulps -- Determination of limiting viscosity number in cupri-ethylene-diamine (CED) solution
<u>ISO 5647:1990</u>	Paper and board -- Determination of titanium dioxide content
<u>ISO 6587:1992</u>	Paper, board and pulps -- Determination of conductivity of aqueous extracts
<u>ISO 6588-1:2005</u>	Paper, board and pulps -- Determination of pH of aqueous extracts -- Part 1: Cold extraction
<u>ISO 6588-2:2005</u>	Paper, board and pulps -- Determination of pH of aqueous extracts -- Part 2: Hot extraction
<u>ISO 9197:2006</u>	Paper, board and pulps -- Determination of water-soluble chlorides
<u>ISO 9198:2001</u>	Paper, board and pulp -- Determination of water-soluble sulfates
<u>ISO 9668:1990</u>	Pulps -- Determination of magnesium content -- Flame atomic absorption spectrometric method
<u>ISO 10716:1994</u>	Paper and board -- Determination of alkali reserve
<u>ISO 10775:1995</u>	Paper, board and pulps -- Determination of cadmium content -- Atomic absorption spectrometric method
<u>ISO 11480:1997</u>	Pulp, paper and board -- Determination of total chlorine and organically bound chlorine
<u>ISO 14436:2010</u>	Pulps -- Standard tap water for drainability measurements -- Conductivity 40 mS/m to 150 mS/m
<u>ISO 14453:1997</u>	Pulps -- Determination of acetone-soluble matter
<u>ISO 14487:1997</u>	Pulps -- Standard water for physical testing
<u>ISO 15318:1999</u>	Pulp, paper and board -- Determination of 7 specified polychlorinated biphenyls (PCB)

<u>ISO 15320:2003</u>	Pulp, paper and board -- Determination of pentachlorophenol in an aqueous extract
<u>ISO 17812:2007</u>	Paper, board and pulps -- Determination of total magnesium, total calcium, total manganese, total iron and total copper
<u>ISO 23714:2007</u>	Pulps -- Determination of water retention value (WRV)
<u>ISO 29681:2009</u>	Paper, board and pulps -- Determination of pH of salted water extracts

5. Contraries and Contaminants

<u>ISO 5350-1:2006</u>	Pulp -- Estimation of dirt and shives -- Part 1: Inspection of laboratory sheets by transmitted light
<u>ISO 5350-2:2006</u>	Pulp -- Estimation of dirt and shives -- Part 2: Inspection of mill sheeted pulp by transmitted light
<u>ISO 5350-3:2007</u>	Pulps -- Estimation of dirt and shives -- Part 3: Inspection by reflected light
<u>ISO 5350-4:2006</u>	Pulps -- Estimation of dirt and shives -- Part 4: Instrumental inspection by reflected light using Equivalent Black Area (EBA) method
<u>ISO 15360-1:2000</u>	Recycled pulps -- Estimation of Stickies and Plastics -- Part 1: Visual method
<u>ISO 15360-2:2001</u>	Recycled pulps -- Estimation of Stickies and Plastics -- Part 2: Image analysis method
<u>ISO 15360-2:2001/Cor 1:2007</u>	Recycled pulps -- Estimation of Stickies and Plastics -- Part 2: Image analysis method -- Technical Corrigendum 1
<u>ISO 15755:1999</u>	Paper and board -- Estimation of contraries

6. Moisture content and grammage

<u>ISO 287:2009</u>	Paper and board -- Determination of moisture content of a lot -- Oven-drying method
<u>ISO 536:1995</u>	Paper and board -- Determination of grammage
<u>ISO 5638:1978</u>	Solid fibreboard -- Determination of grammage of single layers
<u>ISO 638:2008</u>	Paper, board and pulps -- Determination of dry matter content -- Oven-drying method
<u>ISO 3039:2010</u>	Corrugated fibreboard -- Determination of grammage of the component papers after separation

7. Physical tests

7.1 Bales - Tests on pulp bales

<u>ISO 801-1:1994</u>	Pulps -- Determination of saleable mass in lots -- Part 1: Pulp baled in sheet form
<u>ISO 801-2:1994</u>	Pulps -- Determination of saleable mass in lots -- Part 2: Pulps (such as flash-dried pulps) baled in slabs
<u>ISO 801-3:1994</u>	Pulps -- Determination of saleable mass in lots -- Part 3: Unitized bales

7.2 Beating - Laboratory beating tests on pulps

<u>ISO 5263-1:2004</u>	Pulps -- Laboratory wet disintegration -- Part 1: Disintegration of chemical pulps
<u>ISO 5263-2:2004</u>	Pulps -- Laboratory wet disintegration -- Part 2: Disintegration of mechanical pulps at 20°C
<u>ISO 5263-3:2004</u>	Pulps -- Laboratory wet disintegration -- Part 3: Disintegration of mechanical pulps at >85°C
<u>ISO 5264-1:1979</u>	Pulps -- Laboratory beating -- Part 1: Valley beater method

<u>ISO 5264-2:2002</u>	Pulps -- Laboratory beating -- Part 2: PFI mill method
--	--

7.3 Cores - Tests on cores

<u>ISO 11093-1:1994</u>	Paper and board -- Testing of cores -- Part 1: Sampling
---	---

<u>ISO 11093-2:1994</u>	Paper and board -- Testing of cores -- Part 2: Conditioning of test samples
---	---

<u>ISO 11093-3:1994</u>	Paper and board -- Testing of cores -- Part 3: Determination of moisture content using the oven drying method
---	---

<u>ISO 11093-4:1997</u>	Paper and board -- Testing of cores -- Part 4: Measurement of dimensions
---	--

<u>ISO 11093-5:2009</u>	Paper and board -- Testing of cores -- Part 5: Determination of characteristics of concentric rotation
---	--

<u>ISO 11093-5:2009/Cor 1:2010</u>	Paper and board -- Testing of cores -- Part 5: Determination of characteristics of concentric rotation -- Technical Corrigendum 1
--	---

<u>ISO 11093-6:2005</u>	Paper and board -- Testing of cores -- Part 6: Determination of bending strength by the three-point method
---	--

<u>ISO 11093-7:1997</u>	Paper and board -- Testing of cores -- Part 7: Determination of flexural modulus by the three-point method
---	--

<u>ISO 11093-8:1997</u>	Paper and board -- Testing of cores -- Part 8: Determination of natural frequency and flexural modulus by experimental modal analysis
---	---

<u>ISO 11093-9:2006</u>	Paper and board -- Testing of cores -- Part 9: Determination of flat crush resistance
---	---

<u>ISO 13542:2006</u>	Paper and board -- Specification for internal diameters of cores for reels
---------------------------------------	--

7.4 Dimensions and specifications

<u>ISO 216:2007</u>	Writing paper and certain classes of printed matter -- Trimmed sizes -- A and B series
-------------------------------------	--

<u>ISO 217:2008</u>	Paper -- Untrimmed sizes -- Designation and tolerances for primary and supplementary ranges, and indication of machine direction
-------------------------------------	--

<u>ISO 838:1974</u>	Paper -- Holes for general filing purposes -- Specifications
-------------------------------------	--

<u>ISO 1154:1975</u>	Information processing -- Punched paper tape -- Dimensions and location of feed holes and code holes
--------------------------------------	--

<u>ISO 1681:1973</u>	Information processing -- Unpunched paper cards -- Specification
--------------------------------------	--

<u>ISO 2784:1974</u>	Continuous forms used for information processing -- Sizes and sprocket feed holes
--------------------------------------	---

<u>ISO 3535:1977</u>	Forms design sheet and layout chart
--------------------------------------	-------------------------------------

<u>ISO 3692:1976</u>	Information processing -- Reels and cores for 25,4 mm (1 in) perforated paper tape for information interchange -- Dimensions
--------------------------------------	--

<u>ISO 5635:1978</u>	Paper -- Measurement of dimensional change after immersion in water
--------------------------------------	---

<u>ISO 6590-1:1983</u>	Packaging -- Sacks -- Vocabulary and types -- Part 1: Paper sacks
--	---

<u>ISO 6591-1:1984</u>	Packaging -- Sacks -- Description and method of measurement -- Part 1: Empty paper sacks
--	--

<u>ISO 8226-1:1994</u>	Paper and board -- Measurement of hygroexpansivity -- Part 1: Hygroexpansivity up to a maximum relative humidity of 68 %
--	--

<u>ISO 8226-2:1990</u>	Paper and board -- Measurement of hygroexpansivity -- Part 2: Hygroexpansivity up to a maximum relative humidity of 86 %
<u>ISO/TR 8281-1:1983</u>	Packaging -- Estimating the filled volume using the flat dimensions -- Part 1: Paper sacks
<u>ISO 8351-1:1994</u>	Packaging -- Method of specification for sacks -- Part 1: Paper sacks
<u>ISO 8367-1:1993</u>	Packaging -- Dimensional tolerances for general purpose sacks -- Part 1: Paper sacks
<u>ISO 9706:1994</u>	Information and documentation -- Paper for documents -- Requirements for permanence
<u>ISO 11108:1996</u>	Information and documentation -- Archival paper -- Requirements for permanence and durability
<u>ISO 11798:1999</u>	Information and documentation -- Permanence and durability of writing, printing and copying on paper -- Requirements and test methods
7.5 Drainage tests on pulp	
<u>ISO 5267-1:1999</u>	Pulps -- Determination of drainability -- Part 1: Schopper-Riegler method
<u>ISO 5267-1:1999/Cor 1:2001</u>	Pulps -- Determination of drainability -- Part 1: Schopper-Riegler method -- Technical Corrigendum 1
<u>ISO 5267-2:2001</u>	Pulps -- Determination of drainability -- Part 2: "Canadian Standard" freeness method
7.6 Microbiological tests	
<u>ISO 8784-1:2005</u>	Pulp, paper and board -- Microbiological examination -- Part 1: Total count of bacteria, yeast and mould based on disintegration
7.7 Optical Properties	
<u>ISO 2469:2007</u>	Paper, board and pulps -- Measurement of diffuse reflectance factor
<u>ISO 2470-1:2009</u>	Paper, board and pulps -- Measurement of diffuse blue reflectance factor -- Part 1: Indoor daylight conditions (ISO brightness)
<u>ISO 2470-2:2008</u>	Paper, board and pulps -- Measurement of diffuse blue reflectance factor -- Part 2: Outdoor daylight conditions (D65 brightness)
<u>ISO 2471:2008</u>	Paper and board -- Determination of opacity (paper backing) -- Diffuse reflectance method
<u>ISO 5631-1:2009</u>	Paper and board -- Determination of colour by diffuse reflectance -- Part 1: Indoor daylight conditions (C/2 degrees)
<u>ISO 5631-2:2008</u>	Paper and board -- Determination of colour by diffuse reflectance -- Part 2: Outdoor daylight conditions (D65/10 degrees)
<u>ISO 5631-3:2008</u>	Paper and board -- Determination of colour by diffuse reflectance -- Part 3: Indoor illumination conditions (D50/2 degrees)
<u>ISO 8254-1:2009</u>	Paper and board -- Measurement of specular gloss -- Part 1: 75 degree gloss with a converging beam, TAPPI method
<u>ISO 8254-2:2003</u>	Paper and board -- Measurement of specular gloss -- Part 2: 75 degree gloss with a parallel beam, DIN method
<u>ISO 8254-3:2004</u>	Paper and board -- Measurement of specular gloss -- Part 3: 20 degree gloss with a converging beam, TAPPI method

<u>ISO 9416:2009</u>	Paper -- Determination of light scattering and absorption coefficients (using Kubelka-Munk theory)
<u>ISO 11475:2004</u>	Paper and board -- Determination of CIE whiteness, D65/10 degrees (outdoor daylight)
<u>ISO 11476:2010</u>	Paper and board -- Determination of CIE-whiteness, C/2 degrees (indoor illumination conditions)
<u>ISO 22754:2008</u>	Pulp and paper -- Determination of the effective residual ink concentration (ERIC number) by infrared reflectance measurement
<u>ISO 22891:2007</u>	Paper -- Determination of transmittance by diffuse reflectance measurement
<u>ISO/TR 25477:2008</u>	Paper, board and pulps -- Basic guidelines for image analysis measurements

7.8 Sheets - laboratory sheets

<u>ISO 3688:1999</u>	Pulps -- Preparation of laboratory sheets for the measurement of diffuse blue reflectance factor (ISO brightness)
<u>ISO 5269-1:2005</u>	Pulps -- Preparation of laboratory sheets for physical testing -- Part 1: Conventional sheet-former method
<u>ISO 5269-2:2004</u>	Pulps -- Preparation of laboratory sheets for physical testing -- Part 2: Rapid-Köthen method
<u>ISO 5269-3:2008</u>	Pulps -- Preparation of laboratory sheets for physical testing -- Part 3: Using a closed water system
<u>ISO 5270:1998</u>	Pulps -- Laboratory sheets -- Determination of physical properties

7.9 Strength test on paper, board or pulps

<u>ISO 1924-2:2008</u>	Paper and board -- Determination of tensile properties -- Part 2: Constant rate of elongation method (20 mm/min)
<u>ISO 1924-3:2005</u>	Paper and board -- Determination of tensile properties -- Part 3: Constant rate of elongation method (100 mm/min)
<u>ISO 1974:1990</u>	Paper -- Determination of tearing resistance (Elmendorf method)
<u>ISO 2493:1992</u>	Paper and board -- Determination of resistance to bending
<u>ISO 2493-1:2010</u>	Paper and board -- Determination of bending resistance -- Part 1: Constant rate of deflection
<u>ISO 2758:2001</u>	Paper -- Determination of bursting strength
<u>ISO 2759:2001</u>	Board -- Determination of bursting strength
<u>ISO 3035:1982</u>	Single-faced and single-wall corrugated fibreboard -- Determination of flat crush resistance
<u>ISO 3036:1975</u>	Board -- Determination of puncture resistance
<u>ISO 3037:2007</u>	Corrugated fibreboard -- Determination of edgewise crush resistance (unwaxed edge method)
<u>ISO 3689:1983</u>	Paper and board -- Determination of bursting strength after immersion in water
<u>ISO 3781:1983</u>	Paper and board -- Determination of tensile strength after immersion in water
<u>ISO 5626:1993</u>	Paper -- Determination of folding endurance
<u>ISO 5628:1990</u>	Paper and board -- Determination of bending stiffness by static methods -- General principles
<u>ISO 5629:1983</u>	Paper and board -- Determination of bending stiffness -- Resonance method

<u>ISO 7263:2011</u>	Corrugating medium -- Determination of the flat crush resistance after laboratory fluting
<u>ISO 7965-1:1984</u>	Packaging -- Sacks -- Drop test -- Part 1: Paper sacks
<u>ISO 9895:2008</u>	Paper and board -- Compressive strength -- Short span test
<u>ISO 12192:2002</u>	Paper and board -- Compressive strength -- Ring crush method
<u>ISO 13820:1996</u>	Paper, board and corrugated fibreboard -- Description and calibration of compression-testing equipment
<u>ISO 13821:2002</u>	Corrugated fibreboard -- Determination of edgewise crush resistance -- Waxed edge method
<u>ISO 15361:2000</u>	Pulps -- Determination of zero-span tensile strength, wet or dry
<u>ISO 15754:2009</u>	Paper and board -- Determination of z-directional tensile strength

7.10 Structural properties

<u>ISO 534:2005</u>	Paper and board -- Determination of thickness, density and specific volume
<u>ISO 535:1991</u>	Paper and board -- Determination of water absorptiveness -- Cobb method
<u>ISO 2528:1995</u>	Sheet materials -- Determination of water vapour transmission rate -- Gravimetric (dish) method
<u>ISO 2965:2009</u>	Materials used as cigarette papers, filter plug wrap and filter joining paper, including materials having a discrete or oriented permeable zone and materials with bands of differing permeability -- Determination of air permeability
<u>ISO 3034:1975</u>	Corrugated fibreboard -- Determination of thickness
<u>ISO 3038:1975</u>	Corrugated fibreboard -- Determination of the water resistance of the glue bond by immersion
<u>ISO 5633:1983</u>	Paper and board -- Determination of resistance to water penetration
<u>ISO 5636-1:1984</u>	Paper and board -- Determination of air permeance (medium range) -- Part 1: General method
<u>ISO 5636-3:1992</u>	Paper and board -- Determination of air permeance (medium range) -- Part 3: Bendtsen method
<u>ISO 5636-4:2005</u>	Paper and board -- Determination of air permeance (medium range) -- Part 4: Sheffield method
<u>ISO 5636-5:2003</u>	Paper and board -- Determination of air permeance and air resistance (medium range) -- Part 5: Gurley method
<u>ISO 5637:1989</u>	Paper and board -- Determination of water absorption after immersion in water
<u>ISO 8787:1986</u>	Paper and board -- Determination of capillary rise -- Klemm method
<u>ISO 9932:1990</u>	Paper and board -- Determination of water vapour transmission rate of sheet materials -- Dynamic sweep and static gas methods
<u>ISO 11556:2005</u>	Paper and board -- Determination of curl using a single vertically suspended test piece
<u>ISO 14968:1999</u>	Paper and board -- Cut-size office paper -- Measurement of curl in a pack of sheets
<u>ISO 18910:2000</u>	Imaging materials -- Photographic film and paper --- Determination of curl
<u>ISO 22414:2004</u>	Paper -- Cut-size office paper -- Measurement of edge quality

7.11 Surface test on paper or board

<u>ISO 3783:2006</u>	Paper and board -- Determination of resistance to picking -- Accelerated speed method using the IGT tester (electric model)
<u>ISO 5627:1995</u>	Paper and board -- Determination of smoothness (Bekk method)
<u>ISO 5627:1995/Cor 1:2002</u>	Paper and board -- Determination of smoothness (Bekk method) -- Technical Corrigendum 1
<u>ISO 8791-1:1986</u>	Paper and board -- Determination of roughness/smoothness (air leak methods) -- Part 1: General method
<u>ISO 8791-2:1990</u>	Paper and board -- Determination of roughness/smoothness (air leak methods) -- Part 2: Bendtsen method
<u>ISO 8791-3:2005</u>	Paper and board -- Determination of roughness/smoothness (air leak methods) -- Part 3: Sheffield method
<u>ISO 8791-4:2007</u>	Paper and board -- Determination of roughness/smoothness (air leak methods) -- Part 4: Print-surf method
<u>ISO 15359:1999</u>	Paper and board -- Determination of the static and kinetic coefficients of friction -- Horizontal plane method
<u>ISO 16532-1:2008</u>	Paper and board -- Determination of grease resistance -- Part 1: Permeability test
<u>ISO 16532-2:2007</u>	Paper and board -- Determination of grease resistance -- Part 2: Surface repellency test
<u>ISO 16532-3:2010</u>	Paper and board -- Determination of grease resistance -- Part 3: Turpentine test for voids in glassine and greaseproof papers

7.12 Tissue tests

<u>ISO 12625-1:2005</u>	Tissue paper and tissue products -- Part 1: General guidance on terms
<u>ISO 12625-12:2010</u>	Tissue paper and tissue products -- Part 12: Determination of tensile strength of perforated lines -- Calculation of perforation efficiency
<u>ISO 12625-3:2005</u>	Tissue paper and tissue products -- Part 3: Determination of thickness, bulking thickness and apparent bulk density
<u>ISO 12625-4:2005</u>	Tissue paper and tissue products -- Part 4: Determination of tensile strength, stretch at break and tensile energy absorption
<u>ISO 12625-5:2005</u>	Tissue paper and tissue products -- Part 5: Determination of wet tensile strength
<u>ISO 12625-6:2005</u>	Tissue paper and tissue products -- Part 6: Determination of grammage
<u>ISO 12625-7:2007</u>	Tissue paper and tissue products -- Part 7: Determination of optical properties
<u>ISO 12625-8:2010</u>	Tissue paper and tissue products -- Part 8: Water-absorption time and water-absorption capacity, basket-immersion test method
<u>ISO 12625-9:2005</u>	Tissue paper and tissue products -- Part 9: Determination of ball burst strength